



# PRODUCT CATALOG

Flexible Gas Piping Systems for Commercial, Industrial and Residential

FOR CANADA

© 2025 Omega Flex, Inc. All Rights Reserved.

# **Table of Contents**

CounterStrike® Introduction	3
Flexible Gas Tubing	4
AutoFlare® Fittings and Accessories	5
AutoFlare® Tee Fittings	6
CounterStrike® Accessories	8
۲racPipe® PS II Underground Gas Piping 1	0
Warranty1	1



Improve your bottom line by taking advantage of TracPipe<sup>®</sup> CounterStrike<sup>®</sup> industry-leading flow capacities.

**CONTACT INFORMATION** 

1.800.671.8622

sales@tracpipe.com • www.tracpipe.ca

OmegaFlex, TracPipe, CounterStrike and AutoFlare are registered trademarks of OmegaFlex, Inc.

# **Four Decades of Performance**

Since 1975, OmegaFlex has led the piping industry with its high-quality construction and commitment to exceed the industry's product and safety standards.

- With over 100 patents, OmegaFlex's philosophy is not to wait for mandates, but to lead the industry by introducing the best products.
- In 1999, OmegaFlex was the first CSST manufacturer to mandate the bonding of its yellow-jacketed TracPipe<sup>®</sup> Corrugated Stainless Steel Tubing (CSST) in its installation guide.
- In 2004, OmegaFlex developed CounterStrike<sup>®</sup> CSST, which contains all of the innovative features of TracPipe<sup>®</sup> CSST plus a built-in arc resistant jacket that eliminates the need for additional bonding, subject to applicable local codes.
- In 2011, OmegaFlex became the only CSST manufacturer to transition from its highly successful yellow CSST product "TracPipe<sup>®</sup>" CSST and now only sells its innovative black-jacket product "CounterStrike<sup>®</sup>" CSST throughout the US market.
- In 2012, OmegaFlex was a sponsor of NSF-UC San Diego's earthquake testing program. The flexibility of CounterStrike<sup>®</sup> CSST withstood the worst seismic activity simulated without any failures, leaks or damage. Meanwhile black iron pipe, which was installed next to CounterStrike<sup>®</sup> CSST, fractured in the same test.

#### TracPipe<sup>®</sup> and TracPipe<sup>®</sup> CounterStrike<sup>®</sup> CSST are also :

- Listed by CSA to the national consensus standard ANSI LC-1/CSA 6.26-2016 for CSST. CounterStrike<sup>®</sup> also meets the performance requirements in the Standard for arc resistant conductive jackets.
- Compliant with CSA B149.1 or the National Gas and Propane Installation Code including Canadian Electrical Code requirements for bonding and grounding of gas piping systems.
- Compliant with the fuel gas codes in all 10 provinces.
- Listed by Underwriters Laboratories (UL) for 1, 2 and 4 hour through penetration fire stop systems without removal of the protective jacket.
- CounterStrike<sup>®</sup> has also been evaluated for lightning resistance (ER-0227) by the International Association of Plumbing and Mechanical Officials (IAPMO) Uniform Evaluation Service which is accredited by Standards Council of Canada.



• The 2022 ICC-ES ESR-4565 listing represents the seismic certification by shake-table testing for CounterStrike® CSST flexible gas piping systems as an alternative to code-prescribed requirements. OmegaFlex tubing systems sustained severe earthquake simulations that surpassed all the intensities and seismic forces ever recorded as well as the design forces specified in the current building codes. The ICC seismic certifications for the three OmegaFlex products (CounterStrike®, MediTrac®, and DoubleTrac®) are consistent with the technical requirements of the major US seismic codes and standards including: International Building Code, the ASCE-7 Standard, FEMA 461 as well as the City of Los Angeles Department of Building Safety, and the State of California Division of State Architect and OSHPD.

CounterStrike<sup>®</sup> CSST in seismic test rig.

# **Flexible Gas Piping CSST**

#### CounterStrike® CSST Piping Systems for Natural Gas and Propane

The flexibility and long lengths of CounterStrike<sup>®</sup> CSST make it perfect for remodel/repair work. It can be pulled like wire, which minimizes the need to remove and replace walls, while at the same time potentially reducing both construction cost and shortening lead times.

CounterStrike<sup>®</sup> features a single robust protective jacket over a non-annealed CSST, which offers enhanced crush resistance. The superior crush resistance of CounterStrike<sup>®</sup> CSST means that it lays straighter, is simpler to cut and pulls easier in new home construction.

#### TracPipe<sup>®</sup> Flexible Gas Tubing

The same Bridge ser.	Description	Part Number	Size	Reel Length	Lb/Reel
	TracPipe 3/8"	FGP-SS4-375-250	3/8″	250 ft/reel	29
	TracPipe 3/8"	FGP-SS4-375-100	3/8″	100 ft/reel	13
	TracPipe 1/2	FGP-SS4-500-500	1/2″	500 ft/reel	78
	TracPipe 1/2"	FGP-SS4-500-250	1/2″	250 ft/reel	40
	TracPipe 1/2"	FGP-SS4-500-100	1/2″	100 ft/reel	18
A Contraction	TracPipe 3/4"	FGP-SS4-750-250	3/4″	250 ft/reel	59
and the second s	TracPipe 3/4"	FGP-SS4-750-100	3/4"	100 ft/reel	24
The result of the little and the result of t	TracPipe 1"	FGP-SS4-100-180	1″	180 ft/reel	56
	TracPipe 1"	FGP-SS4-100-100	1″	100 ft/reel	32
	TracPipe 1¼"	FGP-SS4-125-250	1¼″	250 ft/reel	117
A CONTRACTOR OF THE OWNER	TracPipe 11/4"	FGP-SS4-125-150	1¼″	150 ft/reel	71
Corrugated Stainless Steel 300 Series	TracPipe 11/2"	FGP-SS4-150-250	11⁄2″	250 ft/reel	141
with Polyethylene Jacket	TracPipe 11/2"	FGP-SS4-150-150	11⁄2″	150 ft/reel	80
Plywood Reels for Packaging	TracPipe 2"	FGP-SS4-200-150	2″	150 ft/reel	128

## CounterStrike<sup>®</sup> Flexible Gas Tubing

-martin	Description	Part Number	Size	Reel Length	Lb/Reel
	CounterStrike 3/8"	FGP-CS-375-250	3/8″	250 ft/reel	37
Received and the second	CounterStrike 3/8"	FGP-CS-375-100	3/8″	100 ft/reel	17
	CounterStrike 1/2"	FGP-CS-500-500	1/2″	500 ft/reel	98
	CounterStrike 1/2"	FGP-CS-500-250	1/2″	250 ft/reel	52
	CounterStrike 1/2"	FGP-CS-500-100	1/2″	100 ft/reel	24
	CounterStrike 3/4"	FGP-CS-750-250	3/4″	250 ft/reel	70
	CounterStrike 3/4"	FGP-CS-750-100	3/4″	100 ft/reel	31
	CounterStrike 1"	FGP-CS-100-180	1″	180 ft/reel	70
	CounterStrike 1"	FGP-CS-100-100	1″	100 ft/reel	40
	CounterStrike 11/4"	FGP-CS-125-250	11⁄4″	250 ft/reel	129
	CounterStrike 11/4"	FGP-CS-125-150	11⁄4″	150 ft/reel	78
Corrugated Stainless Steel 300 Series with Black Conductive Jacket	CounterStrike 11/2"	FGP-CS-150-250	11⁄2″	250 ft/reel	182
Plywood Reels for Packaging	CounterStrike 11/2"	FGP-CS-150-150	11⁄2″	150 ft/reel	103
T IYWOOD NEEDS TOF F ACKAYING	CounterStrike 2"	FGP-CS-200-150	2″	150 ft/reel	137

## TracPipe® and CounterStrike® Flexible Gas Tubing Coil

•		<u> </u>			
	Description	Part Number	Size	Coil Length	Lb/Coil
	TracPipe 1/2"	FGP-SS4-500-50	1/2″	50 ft/coil	6.5
	TracPipe 1/2"	FGP-SS4-500-25	1/2″	25 ft/coil	3.3
	TracPipe 3/4"	FGP-SS4-750-50	3/4″	50 ft/coil	9.5
And the second state with the second	TracPipe 3/4"	FGP-SS4-750-25	3/4″	25 ft/coil	4.6
	TracPipe 1"	FGP-SS4-100-50	1″	50 ft/coil	14
	TracPipe 1"	FGP-SS4-100-25	1″	25 ft/coil	7.0
	CounterStrike 1/2"	FGP-CS-500-50	1/2″	50 ft/coil	9.4
	CounterStrike 1/2"	FGP-CS-500-25	1/2″	25 ft/coil	4.6
	CounterStrike 3/4"	FGP-CS-750-50	3/4"	50 ft/coil	12.4
	CounterStrike 3/4"	FGP-CS-750-25	3/4″	25 ft/coil	6.3
	CounterStrike 1"	FGP-CS-100-50	1″	50 ft/coil	16.8
	CounterStrike 1"	FGP-CS-100-25	1″	25 ft/coil	8.6

4 Note: Other lengths available. Consult factory for price and lead time.

1.800.671.8622 • www.tracpipe.com

# **Self-Flaring Fitting**

AutoFlare<sup>®</sup> is the self-piloting fitting that attaches TracPipe<sup>®</sup>CounterStrike<sup>®</sup> to traditional gas fittings and appliances. No special tools or additional parts required.

utoFlare <sup>®</sup> Fittings a	nd Accessorie	es				
		Description	Part Number	Size	Pkg. Qty	Lb.
		AutoFlare Straight 3/8"	FGP-FST-375N	3/8"(3/8"NPT)	24/box	.3
Straight Mechanical Fitting Brass		AutoFlare Straight 3/8"	FGP-FST-375	3/8"(1/2"NPT)	24/box	.4
DId35		AutoFlare Straight 1/2"	FGP-FST-500	1/2″	24/box	.4
		AutoFlare Reducing 1/2"	FGP-RST500-750	1/2"-3/4"NPT	24/box	.4
		AutoFlare Straight 3/4"	FGP-FST-750	3/4"	16/box	.5
Reducing Fitting		AutoFlare Reducing 3/4"	FGP-RST750-500	3/4"-1/2"NPT	16/box	.5
Brass		AutoFlare Straight 1"	FGP-FST-1000	1″	16/box	.7
		AutoFlare Reducing 1"	FGP-RST1000-750	1"-3/4"NPT	16/box	.7
	ſ	AutoFlare Straight 11/4"	FGP-FST-1250	1¼″	6/box	1.5
Fitting Sizes 1¼", 1½" and 2"	are sold individually	AutoFlare Straight 11/2"	FGP-FST-1500	11⁄2″	4/box	2.1
	ι	AutoFlare Straight 2"	FGP-FST-2000	2″	4/box	3.5
		Spare Split Rings	FGP-RING-375	3/8″	10/pack	.06
		Spare Split Rings	FGP-RING-500	1/2″	10/pack	.06
Split Rings		Spare Split Rings	FGP-RING-750	3/4"	10/pack	.06
Brass		Spare Split Rings	FGP-RING-1000	1″	10/pack	.06
		Spare Split Rings	FGP-RING-1250	1¼″	4/pack	.06
		Spare Split Rings	FGP-RING-1500	11⁄2″	4/pack	.2
		Spare Split Rings	FGP-RING-2000	2"	4/pack	.3
Fomolo Chroight Fittin-		AutoFlare Female Straight 3/8"	FGP-FSTF-375	3/8"-1/2"NPT	24/box	.25
Female Straight Fitting Brass		AutoFlare Female Straight 1/2"	FGP-FSTF-500	1/2"	24/box	.33
		AutoFlare Female Straight 3/4"	FGP-FSTF-750	3/4"	16/box	.49
		AutoFlare Female Straight 1"	FGP-FSTF-1000	1″	16/box	.61

		Description	Part Number	Size	Pkg. Qty	Lb.
		Coupling 3/8"	FGP-CPLG-375	3/8″	24/box	.3
Coupling Insert Brass		Coupling 1/2"	FGP-CPLG-500	1/2″	24/box	.5
		Coupling 3/4"	FGP-CPLG-750	3/4″	16/box	.7
		Coupling 1"	FGP-CPLG-1000	1″	16/box	.9
		Coupling 1¼"	FGP-CPLG-1250	1¼″	6/box	2.0
		Coupling 1 <sup>1</sup> / <sub>2</sub> "	FGP-CPLG-1500	11⁄2″	4/box	3.3
Flange Mount Fittings		Coupling 2"	FGP-CPLG-2000	2″	4/box	5.5
Steel	-	AutoFlare Steel Flange Fitting 3/8"	FGP-RFG-375	3/8″	12/box	.61
	=	AutoFlare Steel Flange Fitting 1/2"	FGP-RFG-500	1/2″	12/box	.6
		AutoFlare Steel Flange Fitting 3/4"	FGP-RFG-750	3/4"	8/box	.74
		AutoFlare Steel Flange Fitting 1"	FGP-RFG-1000	1″	8/box	.92
Flange Mount	Carlos Carlos	AutoFlare Steel Flange Fitting 11/4"	FGP-RFG-1250	1¼″	4/box	1.53
Fittings Steel		AutoFlare Flange L Bracket	FGP-TERM-BRAC	All	1 each	.3
ě.		90° Flange Fitting 1/2"	FGP-ELS-500	1/2″	8/box	.7
		90° Flange Valve 3/8"	FGP-RF90V-375	3/8″	6/box	1.02
		90° Flange Valve 1/2"	FGP-RF90V-500	1/2″	6/box	.90
		90° Flange Fitting 3/4"	FGP-RF90V-750	3/4"	6/box	1.4

ItoFlare® Tee Fi	ttings					
		Description	Part Number	Size	Pkg. Qty	Lb
		CounterStrike by NPT				
	In B	Tee - Male 3/4"	FGP-T500-750	1/2-3/4" male	12/box	1
Tee Fitting		Tee - Female 1/2"	FGP-T500-500	1/2" Female	14/box	1
Brass		Tee - Female 1/2"	FGP-T750-500	3/4-1/2" Female	12/box	1.0
		Tee - Female 3/4"	FGP-T750-750	3/4" Female	12/box	1.0
		Tee - Female 1"	FGP-T1000-1000	1" Female	10/box	2.
	STEL	CounterStrike / All Outlet	's			
Tee Fitting	20	Tee - All Outlets 1/2"	FGP-TF500-T500	1/2 x 1/2"	14/box	1
Brass		Tee - All Outlets 3/4"	FGP-TF750-T750	3/4 x 3/4"	12/box	1.
		Tee - All Outlets 1"	FGP-TF1000T1000	1 x 1″	10/box	2.
		Tee-Reducer	FGP-RT-501	1/2" x 3/8" x 3/8"	14/box	0.
		Tee-Reducer	FGP-RT-751	3/4" x 1/2" x 3/8"	12/box	1.
	E UPC.	Tee-Reducer	FGP-RT-752	3/4" x 1/2" x 1/2"	12/box	1.
Reducer Tee Fitting		Tee-Reducer	FGP-RT-1001	1" x 3/4" x 1/2"	10/box	1.
Brass		Tee-Reducer	FGP-RT-1002	1" x 3/4" x 3/4"	10/box	1.
		Tee-Reducer	FGP-TF750-T500	3/4" x 3/4" x 1/2"	12/box	1.
		Tee-Reducer	FGP-TF1000-T750	1" x 1" x 3/4"	10/box	2.
		Tee-Reducer	FGP-TF1000-T500	1" x 1" x 1/2"	10/box	2.

utoFlare <sup>®</sup> Fittings an	d Accessorie	S				
Brackets and Stub-outs		Description	Part Number	Size	Pkg. Qty	Lb
		Key Valve Bracket	FGP-KVB-375	3/8″	18/box	.5
		Key Valve Bracket	FGP-KVB-500	1/2"	18/box	.5
		Key Valve Bracket - Reducing	FGP-KVB750-500	3/4" x 1/2"	18/box	.7
		1/2" x 6" Meter Term Stub-Out	FGP-1/2X6MT	1/2" x 6"	20/box	1.
	1	3/4" x 6" Meter Term Stub-Out	FGP-3/4X6MT	3/4" x 6"	20/box	1.
	5	1" x 6" Meter Term Stub-out	FGP-1X6 MT	1″ x 6″	20/box	1.
		1-1/4" x 6" Meter Term Stub-out	FGP-1-1/4X6MT	1-1/4" x 6"	20/box	1.
	1	1/2" x 12" Meter Term Stub-out	FGP-1/2X12MT	1/2" x 12"	15/box	1.
		3/4" x 12" Meter Term Stub-out	FGP-3/4X12MT	3/4" x 6"	15/box	1.
		1" x 12" Meter Term Stub-out	FGP-1X12 MT	1″ x 12″	15/box	1.
	Vallbox with Valve	1-1/4" x 12" Meter Term Stub-out	FGP-1-1/4X12 MT	1-1/4" x 12"	15/box	2.
	lote: Wallbox measures " x 7" x 3"	Meter Stud Bracket	FGP-STUD-BRAC	all	8/box	2
		Appliance Stub-out	FGP-ASP-500	1/2" x 2"	25/box	
	Tracetter .	Fireplace Stub-out	FGP-FPT-500	1/2″	25/box	
		1/2" x 90° Stub Out	FGP-ASP90S-500	1/2" x 5" x 5"	25/box	
ĨO		3/4" x 90° Stub Out	FGP-ASP90S-750	3/4" x 5" x 5"	15/pack	1
CT. C.		Meter Termination Bracket	FGP-MT-BRAC	1″	1 each	
	R SI L	AutoFlare Metal Wallbox w/Valve	FGP-WBTM-375	3/8"	24/box	2
		AutoFlare Metal Wallbox w/Valve	FGP-WBTM-500	1/2"	24/box	2
		AutoFlare Metal Wallbox w/Valve	FGP-WBTM-750	3/4"	24/box	2

Multi-port Manifolds Coated Malleable Iron	Coated Manifold 4 ports 1/2" female	Manifold I For use w		4 ports 3/4" femaleLanlets 1-1/4" and 1" female4	arge Manifolds ports 1" female	
Stackable Manifolds Coated Malleable Iron			Sr (	0101010	0,0,0,0,	
Manifold Bracket	0				Stackable Manif	old
Galvanized Steel	2 ports 1/2" female 1/2" female to 1/2" n	nale	2 ports 1/2" female 3/4" female to 3/4" ma		Brackable Marin Bracket	oiu
Gas Load Center Painted Steel					anorma -	
	Description		Part Number	Size	Pkg. Qty	LI
	Coated Manifold		FGP-MI-PC	3/4" x 1/2" x 1/2"(4)	1 each	1.
	Manifold Bracket		FGP-MB2		1 each	1.
	Stackable Manifold		FGP-MI-ST-500	1/2"F - M X 1/2"(2)	1 each	1.
Lagter 1	Stackable Manifold		FGP-MI-ST-750	3/4"F - M X 1/2"(2)	1 each	1.
The second s	Stackable Manifold Bra	acket	FGP-MB-ST	fits MI-ST	1 each	
	Load Center w/Bracke	t	FGP-LC		1 each	11
Gas Load Center w/Manifold Bracket For use with FGP-MI-PC only	Large Coated Manifold	ł	FGP-MI-PC-1X	1¼" x 1" x 3/4"(4)	1 each	5.
For use with FGP-MI-PC only	Large Coated Manifold	1	FGP-MI-PC-2X	2" x 1½" x 1"(4)	1 each	13
		FGP-GC-1	3/8", 1/2" (TP/	<b>CS)</b> 1/2", 3/4", 1" (I	ron pipe)	1 ea
	Bonding Clamp	FGP-GC-1				
Bonding Clamp Brass	Bonding Clamp Bonding Clamp	FGP-GC-1 FGP-GC-2	3/4", 1", 1¼" (TF	P/CS) 1 <sup>1</sup> / <sub>4</sub> ", 1 <sup>1</sup> / <sub>2</sub> ", 2" (I	ron pipe)	1 ea

#### Note: Omega Flex, Inc. stocks regulators from various listed manufacturers. There will be a 15% charge added to regulator orders requesting shipment of a specific brand of regulator.

		Description	Part Number	Capacity MBTU/h**	Size	Pkg. Qty	Lb.
	2	Regulator 2 PSI (8" w.c.)	FGP-REG-3	250	1/2″	1 each	.8
Pressure Regulators Cast Cast Housing		Regulator 2 PSI (11" w.c.)	FGP-REG-3P	368 LP	1/2″	1 each	.8
Suitable for		Regulator 2 PSI (8" w.c.)	FGP-REG-5A	550	3/4″	1 each	1.9
Outdoor Use		Regulator 2 PSI (11" w.c.)	FGP-REG-5P	836 LP	3/4″	1 each	1.9
	a second se	Regulator 2 PSI (8" w.c.)	FGP-REG-7L	1000	1″	1 each	1.6
		Regulator 5 PSI* w/OPD	FGP-REG-3L47	125	1/2″	1 each	1.1
		Regulator 5 PSI* w/OPD	FGP-REG-3L48	200	1/2″	1 each	1.2
		Regulator 5 PSI* w/OPD	FGP-REG-5AL48	320	3/4″	1 each	2.3
		Regulator 5 PSI* w/OPD	FGP-REG-5AL600	425	3/4″	1 each	3.4
		Regulator 5 PSI* w/OPD)	FGP-REG-5AL601	465	1″	1 each	3.4
ID Tag		Rain Cap for REG-3/3P	FGP-CAP-3		1/8″	1 each	.1
		Rain Cap for REG-5A/5P	FGP-CAP-5A		3/8″	1 each	.15
Gas Label	<b>GAS</b>	Installation Tags	FGP-ITAG-50		All	50/pkg	.35
1 ··· • • • • • • • • • • • • • • • • •		Gas Label	FGP-GAS LABEL		All	500/Roll	.25
		High Pressure Tags	FGP-TAG-20		All	20/pkg	.3

Note: All regulators include an approved vent limiter.

\*Regulators 3L48, 3L47, 5AL48, 5AL600, 5AL601 have MAX 5 PSI Inlet Pressure which includes an OPD for pressures above 2 PSI when used as a line Pressure Regulator. (Over-pressurization device included and attached to these units).


\*\*Capacity is total load as line pressure regulator. (Capacity decreases for single appliance load. Contact factory.)

	SP.	Description	Part Number	Size	Pkg. Qty	L
Shut Off Valves Quick Disconnect		Ball Valve 5psi 1/2"	FGP-WBV-500	1/2"	1 each	
Brass Housing with		Ball Valve 5psi 3/4"	FGP-WBV-750	3/4"	1 each	
Stainless Steel Ball		Sturgis Quick Disconnect	FGP-QDS	1/2"	1 each	
		Note: Special tools not required.				
	2	Cutter No. 15	FGP-TC-15	3/8"-1"	1 each	1.
Tube Cutters		Cutter No. 151	FGP-TC-151	3/8" - 3/4"	1 each	
	200	Cutter No. 152	FGP-TC-152	1" – 2"	1 each	1
	incoio	Cutter wheel	FGP-E-5272	1" - 2"	1 each	
		Note: To cut 1" to 2" size CounterS	otrike∘ use a cutting wheel FGP-E-52	272.	[	
Striker Plate		Quarter Striker Plate	FGP-SP-025	3" x 2"	250/box	.0
Carbon Steel Hardened		Half Striker Plate	FGP-SP-050	3" x 7"	100/box	
	11	Three Quarter Striker Plate	FGP-SP-075	3" x 9"	100/box	
		Full Striker	FGP-SP-100	3" x 12"	50/box	.4
11		61/2" X 17 Striker Plate	FGP-SP-617	6½" X 17"	1 each	1
					]	
		Floppy-fits 3/8" Cut 1 ft.	FGP-FPY-375CT	3/4"	50 box	1
		Floppy-fits 1/2" Cut 1 ft.	FGP-FPY-500CT	1″	50 box	1
Floppy Strip Wound Cond Type RW Galvanized	uit C	Floppy-fits 3/4" Cut 1 ft.	FGP-FPY-750CT	1¼″	25 box	17
Steel		Floppy-fits 1" Cut 1 ft.	FGP-FPY-1000CT	1½"	25 box	2
		Floppy-fits 3/8"	FGP-FPY-375-50	3/4"	50 ft/coil	
		Floppy-fits 1/2"	FGP-FPY-500-50	1″	50 ft/coil	1
Silicone Tape	and the second s	Floppy-fits 3/4"	FGP-FPY-750-25	1¼"	25 ft/coil	15
Silicone Rubber	A COL	Floppy-fits 1"	FGP-FPY-1000-25	1½"	25 ft/coil	2
		Floppy-fits 1¼"	FGP-FPY-1250-25	2"	25 ft/coil	28
		Floppy-fits 11/2"	FGP-FPY-1500-25	21/2"	25 ft/coil	4
		Floppy-fits 2"	FGP-FPY-2000-25	3″	25 ft/coil	5
Leak Check						
	racpipe	Tape-Black	FGP-915-10H-12BL	1" x 12yd	Roll 12 yd	



# TracPipe® PS-II Underground Gas Piping


#### TracPipe® PS-II Underground Gas Piping PATENTED





LIMITED WARRANTY: ALL SALES ARE SUBJECT TO OUR LIMITED WARRANTY, WHICH IS AVAILABLE AT HTTPS://OMEGAFLEXCORP.COM/LEGAL-INFORMATION AND











Flexible Gas Piping by OmegaFlex. PATENTED











**OmegaFlex**<sup>®</sup>

Omega Flex, Inc. 451 Creamery Way • Exton, PA 19341-2509 1-800-671-8622 • www.omegaflex.com ISO 9001 Registered Company

FGP 745CAN 04/25